

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("4158806" "5583426").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/05 15:33
S2	110	"2,987,672" "3,155,933" "3,821,642" "4,019,133" "4,338,097" "4,338,563" "4,426,618" "4,587,479" "4,603,113" "4,703,253" "4,703,254" "5,036,287" "5,243,297" "5,446,369" "5,854,557"	US-PGPUB; USPAT	OR	OFF	2005/04/05 15:37
S3	15	((("2,987,672") or ("3,155,933") or ("3,821,642") or ("4,019,133") or ("4,338,097") or ("4,338,563") or ("4,426,618") or ("4,587,479") or ("4,603,113") or ("4,703,253") or ("4,703,254") or ("5,036,287") or ("5,243,297") or ("5,446,369") or ("5,854,557"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/04/05 15:34
S4	17	S1 or S3	US-PGPUB; USPAT	OR	OFF	2005/04/05 15:37
S5	1	S4 and ((ring loop) with fluid) and ((monitor\$3 detect\$3 measur\$4)near3 resistance)	US-PGPUB; USPAT	OR	ON	2005/04/06 13:14
S6	1	(ring near4 (metal material))same ((monitor\$3 detect\$3 measur\$4)near3 resistance)same (fluid with (exposure corros\$5))	US-PGPUB; USPAT	OR	ON	2005/04/06 13:16
S7	1	(ring )same ((monitor\$3 detect\$3 measur\$4)near3 resistance)same (fluid with (exposure corros\$5))	US-PGPUB; USPAT	OR	ON	2005/04/06 13:16
S8	16	(ring )same ((monitor\$3 detect\$3 measur\$4)near3 resistance)and (fluid with (exposure corros\$5))	US-PGPUB; USPAT	OR	ON	2005/04/06 14:09
S9	974	((monitor\$3 detect\$3 measur\$4)near3 resistance)and (fluid with (exposure corros\$5))	US-PGPUB; USPAT	OR	ON	2005/04/06 14:07
S10	883	S9 and (ring tube tubular circu\$3)	US-PGPUB; USPAT	OR	ON	2005/04/06 14:09
S11	824	S9 and (ring tubular circu\$3)	US-PGPUB; USPAT	OR	ON	2005/04/06 14:08
S12	199	(ring tube tubular circu\$3) same ((monitor\$3 detect\$3 measur\$4)near3 resistance)and (fluid with (exposure corros\$5))	US-PGPUB; USPAT	OR	ON	2005/04/06 14:10
S13	79	(ring tube tubular circular) same ((monitor\$3 detect\$3 measur\$4)near3 resistance)and (fluid with (exposure corros\$5))	US-PGPUB; USPAT	OR	ON	2005/04/07 12:31

S14	135	(ring tube tubular circular) same ((monitor\$3 detect\$3 measur\$4)near\$3 resistance)and (fluid with (exposure corros\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 12:32
S15	16	S14 and ((test sensor)with (ring circular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 12:49
S16	1	("3155933").PN.	US-PGPUB; USPAT	OR	OFF	2005/04/07 13:01
S17	20	"4019133"	US-PGPUB; USPAT	OR	OFF	2005/04/07 14:05
S18	6	"2987672"	US-PGPUB; USPAT	OR	OFF	2005/04/07 14:06
S19	2	((("2987672") or ("4019133"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/04/07 14:23
S20	2	((("5150065") or ("4839580"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/04/07 14:53
S21	919	(324/691,699,700,706,71.2). CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/07 14:53
S22	8	S21 and (ring with resistance with (monitor\$3 measur\$4 detect\$3 determin\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:55
S23	6	S21 and (tubular with resistance with (monitor\$3 measur\$4 detect\$3 determin\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:55

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	119	(324/699).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/07 16:15
L2	235	(324/700).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/07 16:15
L3	27	2 and ring	US-PGPUB; USPAT	OR	OFF	2005/04/07 17:38
L4	1193	(324/71.1,71.2).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/07 17:38
L5	153	4 and ring	US-PGPUB; USPAT	OR	OFF	2005/04/07 17:39
L6	177	4 and (measur\$4 near3 resistance)	US-PGPUB; USPAT	OR	OFF	2005/04/07 17:39
L7	26	4 and (measur\$4 near3 resistance)and ring	US-PGPUB; USPAT	OR	OFF	2005/04/07 17:49
L8	113	(1 or 2)and 4	US-PGPUB; USPAT	OR	OFF	2005/04/07 17:40
L9	313	(204/404).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/04/07 17:49
L10	18	9 and (measur\$4 near3 resistance)and ring	US-PGPUB; USPAT	OR	OFF	2005/04/07 17:49